




EQUIPMENT		
N	DESCRIPTION	amount
1	Kitchen	1
2	Coffee table	1
3	Table	1
4	Chair	6
5	Cabinet with bed	2
6	Marble sibk	2
7	Hanging cabinet	1
8	Sofa	1
9	Armchair	1

Notes.

1. Do not measure the dimensions on the drawing during the production of work, use only the digital value of the measurements.



2. This drawing should be read in conjunction with related structural, electrical and furniture drawings.


Notify the project architect of any discrepancies.

3. To specify all dimensions locally. Notify the architect of any discrepancies with actual or supplier dimensions prior to acceptance of drawings or work.

4. The dimensions of the openings to be erected should be specified according to the technical map from the manufacturer.


EXPLICATION		
N	DESCRIPTION	S,m2
1	Openspace	52,30
2	Bedroom	18,46
3	Bathroom	5,80
4	Bedroom	18,64
5	Bathroom	5,93
		101,13





EXPLICATION		
N	DESCRIPTION	S,m2
1	Openspace	52,30
2	Bedroom	18,46
3	Bathroom	5,80
4	Bedroom	18,64
5	Bathroom	5,93
		101,13

LIGHTING EQUIPMENT INCLUSION PLAN BY GROUP



Notes.

1. Do not measure the dimensions on the drawing during the production of work, use only the digital value of the measurements.

2. This drawing should be read in conjunction with related structural, electrical and furniture drawings.

Notify the project architect of any discrepancies.

3. To specify all dimensions locally. Notify the architect of any discrepancies with actual or supplier dimensions prior to acceptance of drawings or work.


4. The dimensions of the openings to be erected should be specified according to the technical map from the manufacturer.





SYMBOL ON THE PLAN		
1D	Dimmer inclusion group	
1	Inclusion group	
V	Enabling forced ventilation	
1C	Inclusion group curtain driver	
E2	Inclusion group exterior light	

SYMBOL ON THE PLAN		
☐	One-button switch	3
☐	Pass one-button switch	4
☐	Two-button switch	5
☐	Three-button switch	1
☐	Dimmer switch	9
☐	Pass-Dimmer switch	8
☐	Fan switch	2
☐	Switch curtain driver	4






SYMBOL ON THE PLAN		
●	Exterior ground light	38
↗	Lamp for steps	12
↗	Electrical outlet 220V for the light fixture on the column. The electrical outlet should be at ceiling level	11
⊕	Floor lamp	12
↗	LED illumination. Output 24V	
⊕	Chandelier	1
↗	Electrical outlet 220V for LED lighting of the enclosure.	
↗	Electrical output 220V for tree lighting	
●	Ceiling lamp	14
⊕	Ventilation hood	
↗	Electrical outlet for curtain drive	4
⊕	Fan	2
⊕	Swimming pool light	4
↗	Output 220V for the light. The electrical outlet should be at ceiling level	8
↗	Wall lamp	2
↗	Light at 3m from the ground above the door	2

EXPLANATION		
N	DESCRIPTION	S,m2
1	Openspace	52,30
2	Bedroom	18,46
3	Bathroom	5,80
4	Bedroom	18,64
5	Bathroom	5,93
		101,13






Specification (WM) (-)	
Model	ES-FL1410DPK
Wash Programme	15
Power Consumption	1800 W
Weight Nett / Gross (kg)	75 / 80
Width (mm)	598
Depth (mm)	680
Height (mm)	850
Capacity (kg)	10.5 (Wash) / 7 (Rinse)






Notes.

- Do not measure the dimensions on the drawing during the production of work, use only the digital value of the measurements.
- This drawing should be read in conjunction with related structural, electrical and furniture drawings. Notify the project architect of any discrepancies.
- To specify all dimensions locally. Notify the architect of any discrepancies with actual or supplier dimensions prior to acceptance of drawings or work.



- Notes.
1. Do not measure the dimensions on the drawing during the production of work, use only the digital value of the measurements.
 2. This drawing should be read in conjunction with related structural, electrical and furniture drawings.
 3. To specify all dimensions locally. Notify the architect of any discrepancies with actual or supplier dimensions prior to acceptance of drawings or work.







405-33




Solid teak with brushed finish
Colour match the designer's sample.



Solid teak with brushed finish.




Fabric



Notes.


1. Do not measure the dimensions on the drawing during the production of work, use only the digital value of the measurements.
2. This drawing should be read in conjunction with related structural, electrical and furniture drawings.
Notify the project architect of any discrepancies.
3. To specify all dimensions locally. Notify the architect of any discrepancies with actual or supplier dimensions prior to acceptance of drawings or work.
4. The dimensions of the openings to be erected should be specified according to the technical map from the manufacturer.

VIEW TOP



Notes.


1. Do not measure the dimensions on the drawing during the production of work, use only the digital value of the measurements.
2. This drawing should be read in conjunction with related structural, electrical and furniture drawings.
3. To specify all dimensions locally. Notify the architect of any discrepancies with actual or supplier dimensions prior to acceptance of drawings or work.



Matt enamel, colour H



VIEW 1



Perforated facades for installation of the internal block of the conditioner. Install a metal grille in the façade. Paint the grille in the colour of the façade.


Matt enamel, colour H



handle hole

Wood, matt enamel. Colour has to be agreed with the architect.

Shelf

SECTION 1-1






Matt enamel, colour H

Notes.




1. Do not measure the dimensions on the drawing during the production of work, use only the digital value of the measurements.
2. This drawing should be read in conjunction with related structural, electrical and furniture drawings.

Notify the project architect of any discrepancies.

3. To specify all dimensions locally. Notify the architect of any discrepancies with actual or supplier dimensions prior to acceptance of drawings or work.



—Solid teak with brushed finish. Colour match the designer's sample.



Solid teak wood cabinet, sturdy, with solid teak worktop for mounting a marble sink on top, take into account a sink weight of 200 kg!

Notes.

1. Do not measure the dimensions on the drawing during the production of work, use only the digital value of the measurements.
2. This drawing should be read in conjunction with related structural, electrical and furniture drawings.

Notify the project architect of any discrepancies.

3. To specify all dimensions locally. Notify the architect of any discrepancies with actual or supplier dimensions prior to acceptance of drawings or work.
4. The dimensions of the openings to be erected should be specified according to the technical map from the manufacturer.

- Notes.
- 1. Do not measure the dimensions on the drawing during the production of work, use only the digital value of the measurements.
 - 2. This drawing should be read in conjunction with related structural, electrical and furniture drawings.
 - 3. To specify all dimensions locally. Notify the architect of any discrepancies.
 - 4. The dimensions of the openings to be erected should be specified according to the technical map from the manufacturer.


Matt enamel, colour C



VIEW TOP





SECTION 1-1



Wood, matt enamel.
Colour has to be agreed with the architect.

VIEW 1





Notes.

1. Do not measure the dimensions on the drawing during the production of work, use only the digital value of the measurements.

2. This drawing should be read in conjunction with related structural, electrical and furniture drawings.

Notify the project architect of any discrepancies.

3. To specify all dimensions locally. Notify the architect of any discrepancies with actual or supplier dimensions prior to acceptance of drawings or work.

4. The dimensions of the openings to be erected should be specified according to the technical map from the manufacturer.